



Be a green leader

With sustainable finishing in print & packaging

Sustainability is one of the greatest challenges of our times, and is shaping the identity of brands worldwide. To be successful in the market, you have to operate credibly in a closed loop. This brand claim demands sound strategies along the entire value chain – from production and processing to the end product and its recycling – in particular for the printing and packaging industry with its important supportive role in the circular economy.


After all, it is packaging with functional and aesthetic surfaces that protects goods, supports logistics and retail processes, generates demand, increases value and provides a decisive buying incentive through unique design.

Transfer designs and sustainability. Dazzle with well-founded facts.

Outstandingly sustainable from production to recycling

As an innovative finishing specialist and global technology leader in the field of thin-film technology, we see ourselves as shouldering responsibility. The information we have provided you in this booklet proves how excellent print finishing with transfer decoration can be a sustainable success.

Take a look at our transfer technologies along the entire value chain from a sustainable perspective. Use the advantages of our environmentally friendly, high-quality printing products and services to emphasize your credibility and implementation expertise – and take the lead with sound arguments for glossy finished surfaces.



KURZ in industry initiatives Commitment to our customers

At KURZ, sustainability is more than just a word. This is reflected company-wide in our products and processes – and in our commitment. As a member of numerous industry initiatives, we are committed to increasing sustainability in various sectors and providing important impetus on the way to a circular economy.



FFI

represents German manufacturers in the supplier industry, in politics, and in business, and presents their interests on the international stage.



Cepi 4evergreen

aims to increase the contribution of fiber packaging to a sustainable circular economy, raise awareness of its benefits throughout the EU and promote the development of collection systems and recycling infrastructures.



UN Global Compact (UNGC)

1 The finished end product

2 The transfer process

4 The PET carrier

3 Manufacturing process

initiative of the United Nations with participants from business, civil society and politics supports companies and organizations in strategically anchoring sustainability and contributing to the implementation of the Sustainable Development Goals (SDGs).



RecyClass

initiative of different sectors to promote the recyclability of plastic packaging in Europe; assesses the recyclability and makes specific recommendations based upon these assessments.



When your customers are considering holistic closed-loop recycling, glossy metallic packaging and surfaces made of paper and cardboard, one specific question is raised: If I have high sustainability standards, can I still finish my products with a clear conscience? If you use KURZ transfer decorations for finishing, the answer is: Yes! KURZ transfer technology does not use laminates, so there is no foil left behind on the product. The surface finishing process is by transfer only.

Finishing with transfer decoration

Minimum material application. Maximum effect on sustainability.





The end product: Key facts at a glance

Pure transfer finishing:

Only the decorative layer remains on the end product; no foil, no laminate

Minimal material use:

The aluminum layer applied is just 0.02 μ m thick and a minimal amount of lacquer is used (~2.4 g/m²)

Harmless raw materials:

KURZ transfer finishes are articles according to the REACH regulation and do not contain declarable harmful substances (SVHC)

Recyclable, deinkable and compostable:

Transfer finishing does not affect either the automatic sorting process (up to 70% of finished surface possible), the deinkability nor the composting process

Unmatched finishing quality:

The most efficient technology with the widest variety of designs, finest details and maximum gloss



Do more with less

Packaging decorated by KURZ transfer technology is verifiably deinkable, compostable and recyclable (All on the condition that the packaging itself is compostable). How is this achieved? By applying the thinnest amount of material possible and using harmless raw materials.

When comparing KURZ transfer finishing with other decoration processes, one thing becomes particularly clear: The extremely thin aluminum layer makes the decoration of packaging with KURZ transfer technology extremely efficient and resource-saving. A minimal amount of material is used and applied to achieve a premium look in terms of gloss, edge definition and more – with an unrivalled range of designs.

The aluminum layers that are transferred onto the substrate in our dry finishing process are just 0.02 µm thick. That makes them 6,000 times thinner than a human hair.



Size comparison:

Thickness of the aluminum layer in KURZ transfer finishing: $0.02\,\mu m$

Thickness of a human hair: approx. 0.06-0.1 mm



Let's take a closer look at finished paper and cardboard: KURZ transfer decorations offer your customers the best option regarding raw materials used, conserved resources, sustainable disposal and the unlimited recyclability of packaging. Learn about it all in detail and provide your customers with impressive answers to crucial questions!



KURZ transfer finishing:

Impressively safe. See for yourself!



Good to know:

Biodegradable:

A chemical process in which organic material is converted into natural substances such as water, carbon dioxide and compost by microorganisms without artificial additives, depending upon the environmental conditions (e.g. location, temperature, oxygen, humidity)

Compostable:

EN 13432 states that a material is compostable if 90% of it biodegrades in an industrial composting plant within 6 months





Packaging with a transfer finish can be recycled

Paper and cardboard packaging decorated using KURZ transfer technology is fully processable by means of existing collection, sorting and recycling methods. Products with a KURZ finish can be recycled at any sorting facility without additional hassle.

Modern sorting systems designate decorated substrates of paper or cardboard with a basis weight of less than 100 g/m² as high-quality deinking products.

Hot stamping and cold transfer decorations are completely separated from the pulp fibers in the deinking process.





Packaging with a transfer finish is biodegradable and compostable

When your customers are considering sustainability, one important aspect is the packaging's biodegradability and compostability. Here too, KURZ transfer finishing offers proven reliability.

For example, LUXOR® MTS 220 is certified according to DIN EN 13432 as an additive that is harmless for the composting process. The minimal decorative layer (≤1 % by weight) does not affect the process. And it has no negative effects upon plant growth.

Of course, this is only if the cardboard itself is compostable and a disintegration test for cardboard and coating is carried out according to EN 13432.





Independent tests by INGEDE (International Association of the Deinking Industry) have confirmed that our hot stamping and cold transfer products are fully deinkable.





Packaging with a transfer finish contains only harmless ingredients

KURZ transfer finishes contain only raw materials that do not contain volatile, ozone-depleting, halogenated hydrocarbons, cadmium, lead, mercury or hexavalent chromium. Thus, they comply fully with current EU chemical regulation REACH

No special requirements or restrictions need be considered when processing the transfer products.

You can find more information on our raw materials in section 3 (Manufacturing process), or here:







Whether hot, cold or digital – the advantages of KURZ's transfer technology successfully build a bridge between brilliantly finished packaging design and environmentally friendly processing. Because our environmentally friendly method of transfer finishing means foils are neither transferred to nor laminated within your product.

Our technology is based upon an extremely thin, dry layer of lacquer (unmatched in the entire industry) containing the design (1.5 to $3\,\mu m$). It is located on an extremely thin polyester carrier (PET), which is removed after transfer.

Dry. Emission-free. Highly efficient.

One transfer technology.

Three finishing processes.


Transfer process: Key facts at a glance

No plastic film is transferred onto the product

Emission-free transfer of an extremely thin, dry layer of lacquer (1.5 to 3 µm; unmatched in the entire industry) onto the substrate

Dry application process without wet lacquers

Uses less energy per m² of finished surface than normal finishing procedures thanks to an ultra-thin decorative layer





Dry. Emission-free. Highly efficient.

One transfer technology. Three finishing processes.







Hot Stamping

Hot stamping is characterized by its fundamental environmental compatibility. Wafer-thin aluminum and lacquer layers (the decoration) are transferred from a thin PET carrier to a substrate during the printing process. The carrier is removed. The decorative layer remains on the substrate. The up & down process (on the spot transfer, minimized pull) helps to optimize carrier film and coating usage. The transfer process itself is emission-free. No wet lacquers used. As the decorative layer being transferred is so thin, its application uses less energy per square meter of finished surface than normal finishing procedures.

This makes hot stamping sustainable:

- No plastic film on the product
- Dry process
- No emissions
- Super-thin PET carrier
- Unused material can be kept for the next application



Cold Transfer

Cold transfer (sheet fed and web fed) also involves transferring wafer-thin aluminum and lacquer layers (the decoration) to a substrate. However, an adhesive is also applied. Firstly, the adhesive is applied to the substrate with the utmost precision. Then the cold transfer design is precisely applied and the adhesive is cured, for example using UV light. Once cured, the carrier is removed from the substrate. The decoration remains on the parts of the substrate bearing adhesive.

This makes cold transfer sustainable:

- No plastic film on the product
- Material-saving system (DISTORUN®) for precise positioning of single images and continuous designs. This facilitates efficient use of the space between two images (repeated film use – up to 5 times)
- Dry process
- No emissions
- Super-thin PET carrier
- Unused material can be kept for the next application
- · Minimizes wastage and energy use



Digital Embellishment

Our innovative digital embellishment transfer process is a particularly versatile way to achieve your desired finish. Designed as an efficient complete solution, we provide all components from a single source – from the machine, to the transfer finish, to the ink – all perfectly matched.

The DM-UNILINER 2D enables you to apply metallization effects to paper and label materials seamlessly in your digital press prior to digital color printing. With our multiuse ready process this is particularly costand material saving (repeated film use up to 3 times). In this way, production-related free space can be used effectively.


Once the transfer finish is applied to the unprinted substrate with a UV-curing adhesive, the PET carrier is removed and the substrate can be overprinted inside the press.

The DM-SMARTLINER applies metallization to paper and cardboard prior to digital color printing. The motifs are first digitally printed. The DM-SMARTLINER then applies the digital embellishment transfer decoration. The PET carrier is removed and rolled up. Compatible digital printing machines can overprint in four colors with very precise register accuracy.

This makes digital embellishment sustainable:

- No plastic film on the product
- Film saving system for optimized film utilization
- Dry process
- No emissions
- Minimized set-up times (less waste and energy use)
- Lower material use
- Lower losses at the start of production
- Super-thin PET carrier
- Unused material can be kept for the next application
- Minimizes wastage and energy use





Sustainable production as an international benchmark

When discussing sustainable finishing with your customers, our method of transfer finishing will be your trump card. Because the standards for environmental management (DIN ISO 14001) and sustainable energy management (DIN ISO 50001) already form the international benchmark for the manufacture of our extremely thin, easily processed transfer products.

The effect is impressive: The production of our transfer decorations is not only wastewater-free, energy efficient and its ingredients certified – our decoration products also boast the lowest carbon footprint in the industry.

The manufacturing process: Key facts at a glance

Safe raw materials as a basis for no harmful substances, heavy metals or carcinogenic components according to the EU Chemicals Regulation REACH

Recovery of solvents after the laquering process, and use of these for energy and heat generation

Transfer products with maximized carbon balance thanks to wastereducing production on the widest printing presses in the industry

Wastewater-free production process



Safe ingredients: Zero tolerance when it comes to raw materials

In order to protect people and the environment (in accordance with REACH), we globally buy and use only raw materials and approved chemicals that do not restrict the recyclability and harmlessness of your products. Our rigorous purchasing policy, coupled with strict controls on incoming goods and regulations, ensures that we have full control over our ingredients.

We use only ingredients that do not contain volatile, ozonedepleting, halogenated hydrocarbons, cadmium, lead, mercury or hexavalent chromium. Furthermore, the new classification of titanium dioxide (Regulation (EU) 2020/217) is irrelevant to our transfer products.

Thus, we ensure that our transfer products contain only that which we specify.









Energy efficient. Less carbon. Wastewater-free. Harmless.

Sustainable production as an international benchmark







Minimized energy use: Lowest carbon footprint in the industry

We can produce one square meter of LUXOR® cold transfer decoration with approx. 15 W/m². Thus, the product only pollutes our environment with 1.5 g CO₂-equivalent/m². We achieve this low carbon footprint by applying surplus regenerative heat in the manufacturing process, generating on-site solar-energy, and by purchasing green electricity.

- Very low energy input per m² of transfer product
- Approx. 1.5 g CO₂-equivalent/m² for energy use on cold-transfer products



International standards: Embodying sustainability awareness

The environmental management standard DIN ISO 14001 forms the international benchmark for the manufacture of our transfer products. All our factories are relevantly certified, and we work according to a strict, customized environmental management system.

Integrating energy management standard ISO 50001 throughout the entire company also helps us to increase our awareness of sustainable and energy-efficient processes. We are also investing in a carbon-neutral production process at our locations around the world, efficiently tailoring our production to carbon reduction and thus supporting local and international markets.

- Wastewater-free production process
- Lowest possible carbon footprint

Efficient energy recycling: Highest efficiency, lowest emissions

We recover the solvents evaporating out of our in-house designed lacquers during the drying process, by generating heat and energy for our production process.

Thanks to our regenerative heat and energy plants, we can achieve high efficiencies. This system also enables us to stay far below the emission values allowed by law.

- Regenerative heat and energy generation with 95% efficiency
- Only 15% of permitted emissions
- Use of cogeneration units

Purposeful energy management: On the straightest path to becoming carbon neutral

Step by step, we are getting closer to our aim of a CO₂-neutral production process. For example, 100% of the electricity used at KURZ Germany already comes from renewable sources.

Energy conservation and the careful use of resources are at the heart of everything we do. For example, the electricity produced in our company's own solar farm at the Sulzbach-Rosenberg site goes exclusively to KURZ production facilities. As a result, we cover around a quarter of our electricity demand ourselves and, with sustainability in mind, we have already saved 6,000 metric tons of CO_o to date.

We are also well on our way internationally, as KURZ China proves, where the area of rooftop solar panels has been doubled to 20,000 m².

- 100 % energy from renewable sources
- Expansion of in-house photovoltaic systems



Plastic on the end product? Not for KURZ! We stand for innovative strength with a view to the future, and the idea of sustainability is firmly anchored in the company's corporate philosophy. Our PET carrier material is extremely thin. We want to keep production backlogs as low as possible in order to conserve resources. That's why we've reduced the thickness of our PET carriers from 12 µm to 6 µm. The PET carrier material is easily removed after the finishing process, so that the decorated products such as paper or cardboard can be easily recycled. What remains are deep colors, brilliant gloss and fascinating finishing results. And because we are also aware of our responsibility towards the environment and nature, we strive towards an optimal circular economy. With RECOSYS® 2.0, we are the world's first company in the plastics industry to develop a take-back and recycling system for surplus transfer materials generated during the decoration process. This takes us a big step closer to our vision of a closed-loop.

Valuable. Harmless. Recyclable.

Transfer carrier as processing waste

Reduced

PET carrier

thickness



Here too, we take our responsibility seriously and work according to a clear concept:

- 1. KURZ only uses PET as a carrier material for all transfer processes (hot stamping, cold transfer and digital embellishment)
- 2. KURZ is currently the only manufacturer committed to recycling PET surpluses by proper disposal
- 3. KURZ is continously working to improve recycling concepts and initatives. We have reduced our carrier materials from 12 µm to 6 µm. With RECOSYS® 2.0, we are pursuing our goal of a closed-loop system

PET production waste: Key facts at a glance

Extremely thin PET carrier material reduced from 12 µm to 6 µm

Free of hazardous substances even when carrying dry residual lacquer from our coating process

KURZ: A recycling pioneer. We want to avoid waste. And we recycle what cannot be avoided


RECOSYS® 2.0: First plant for KURZ transfer carrier recycling produces RECOSYS® rPET

RECOSYS® for a sustainable future


The RECOSYS® recycling process for transfer materials developed by KURZ makes it possible to recover new raw material from the residual material. With this system, KURZ is the only company in the world to offer its customers a suitable take-back system. This means that the fossil raw materials remain in the material cycle and can be reused.


KURZ Transfer Technology: Unrivaled in quality and sustainability

To conserve resources and fossil raw materials, we have succeeded in continuously reducing the thickness of the carrier material. We now manufacture transfer products with a thickness of 6 μm down from the former 12 μm. This means that the consumption of PET carrier material can be halved in these cases. The reduced weight not only results in positive secondary effects in terms of set-up times, machine runtimes and transport, but also a lower CO_a footprint.












With the RECOSYS® 2.0 program, KURZ has initiated a process that takes us a big step closer to our goal of a closed-loop system - from ordering, collecting the residual material, picking up the collected material, right through to the recycling process.

KURZ as a pioneer within the industry:

RECOSYS® 2.0 -

From residual material to raw material

The calculation of the CO₂ savings is confirmed by a certificate from the accredited environmental assessment organization Intechnica Cert GmbH. This enables you to positively influence your own climate footprint and become a better choice for your customers within their supply chain.



RECOSYS® 2.0 - No one does it like us

In the RECOSYS® recycling process, the residual carrier material is separated from the decorative layers and, depending on the quality, is processed into RECOSYS® rPET, which can be used in industry for a wide range of applications.

Keep an overview of everything

With this holistic product philosophy, which takes the finished end product into consideration, as well as the transfer materials, including their production and reuse, KURZ is the first company in its industry to achieve this worldwide.

RECOSYS® 2.0 – How KURZ transfer carrier recycling works:



1. **Order**

The order is placed as usual.



2. **Application**

The transfer design is processed in the printing house.



3. **Storing**

The used PET backing carrier film is sorted and stored.



Register

Use the RECOSYS® app to register the material.



5. Collection

If the total quantity is considered ecological, the remaining amount of PET is collected.



6. Recycling

The material is fed to the RECOSYS® 2.0 recycling process and further processed into RECOSYS® rPET.



7. Certificate

The certificate shows the CO₂ savings compared to thermal recycling.



8. CO₂ saving

You can show the certified CO₂ savings in your environmental balance sheet.

The KURZ Group



KURZ worldwide

The KURZ Group is an international leader in thin-film technology and supplies products for surface finishing and decoration. With over 5,500 employees at more than 30 sites worldwide, KURZ has an international presence and manufactures under uniform quality and environmental standards in Europe, Asia, and the USA. Thanks to KURZ's many years of experience and the constant expansion of our portfolio, we can offer our customers a wide range of products - and all from one source. A global network of subsidiaries, representatives and sales offices ensures short paths and individual, on-site consulting.

Germany

LEONHARD KURZ Stiftung & Co. KG Schwabacher Straße 482 90763 Fuerth/Germany Phone: +49 911 71 41-0 E-Mail: sales@kurz.de www.kurz-world.com

Huntersville/Charlotte/Chicago/Detroit/Lexington/ Los Angeles/New York KURZ TRANSFER PRODUCTS, L.P. (KTP) www.kurzusa.com

Hefei/Beijing/Chongqing/Kunming/ Shanghai/Shenzhen KURZ STAMPING TECHNOLOGY (HEFEI) Co., Ltd.

Sales subsidiaries with logistic centers

Australia

Sydney/Adelaide/Melbourne LEONHARD KURZ (Aust.) PTY. LTD. www.kurz.com.au

KLIRZ do BRASIL www.kurz.com.br

Chile/Santiago KURZ Chile S A www.kurz.cl

Czech Republic/Střelice u Brna KURZ Czech & Slovak s.r.o www.czkurz.com

France/Paris KURZ FRANCE S.A.R.L. www.kurz.fr

Germany/Doebeln KURZ TYPOFOL GmbH www.kurz-typofol.de

Great Britain/Watford LEONHARD KURZ (UK) LTD. www.kurz.co.uk

Hong Kong KURZ Hong Kong Ltd. www.kurz.com.cn

Hungary/Budapest LEONHARD KURZ South-East Europe Kft. www.kurz.hu

Noida/Chennai/Calcutta/Mumbai KURZ (INDIA) PVT. LTD. www.kurz.in

Ireland/Dublin

LEONHARD KURZ IRELAND LTD. www.kurz.ie

Japan Osaka/Tokyo KURZ JAPAN LTD www.kurzjapan.com

Mexico Mexico City/Guadalajara KURZ MÉXICO S.de R.L.de C.V. www.kurz.com.mx

Morocco/Casablanca KURZ North Africa www.kurz-na.com

Netherlands/Nijmegen LEONHARD KURZ BENELUX B.V. www.kurz.nl

New Zealand/Penrose KURZ NEW ZEALAND www.kurz.com.au

Switzerland/Wallisellen KURZ Schweiz AG www.kurzag.ch Taiwan/Taipei

KURZ CHEERS, Inc. www.kurz.com.tw Thailand/Bangkok KURZ (Thailand) Ltd.

www.kurz.co.th

Tunisia/Tunis KURZ North Africa www.kurz-na.com

Fields of expertise

KURZ is always investing in new technologies. KURZ subsidiaries develop innovative solutions for functional integrations into surfaces as well as products for labeling and counterfeit protection, along with the corresponding software. A comprehensive range of stamping presses and stamping tools rounds off the versatile KURZ product portfolio. Furthermore, KURZ subsidiaries use their expertise to provide future-oriented, custom-made complete solutions including project consultancy and machine and tool technology. Baier GmbH + Co KG Maschinenfabrik

www.baier-praegetechnik.de

BURG DESIGN GmbH www.burg-design.com

Canyon Graphics, Inc. www.canyongraphics.com

www.hinderer-muehlich.com

Hinderer + Mühlich GmbH & Co. KG

ISIMAT GmbH Siebdruckmaschinen www isimat de

KURZ Digital Solutions GmbH & Co. KG www.kurzdigital.com

MPRINT Morlock GmbH & Co. KG

www.mprint.de

OVD Kinegram AG www.kinegram.com

PolyIC GmbH & Co. KG www.polyic.com

SCHÖFER GmbH www.schoefer.at

SCRIBOS GmbH www.scribos.de

Steinemann DPE AG www.steinemann-dpe.com

Follow us on:

















The information provided herein is given with utmost care and according to our best knowledge and experience as of the date of this document, but NO REPRESENTATION, GUARANTEE OR WARRANTY, EXPRESSED OR IMPLIED IS MADE AS TO THE ACCURACY, RELIABILITY OR COMPLETENESS OF THE INFORMATION OR TO ANY SPECIAL QUALITY OR FITNESS OF THE PRODUCT FOR A SPECIAL APPLICATION. This information does not release the customer from his own liability for care examination, in particular with regard to the incoming goods inspection and any fitness of the respective product for his intended use. All patterns and designs owned by KURZ. Reproduction strictly forbidden. Infringements